Safety Data Sheet ULTRACOLOR PLUS

Safety Data Sheet dated: 7/10/2017 - version 2

Date of first edition: 5/3/2017



1. Identification

GHS Product identifier

Mixture identification:

Trade name: ULTRACOLOR PLUS

Trade code: 9060100

Recommended use of the chemical and restrictions on use

Recommended use: Ready-mixed cement mortar for ceramic tile joints

Uses advised against: no data available

Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia T. +61 7 32765000 (Mon-Fri 8am to 4.30pm)

F. +61 7 32765076

Emergency phone number

Australian Poisons Information Centre 24 Hour Service 13 11 26

Police or Fire Brigade 000

2. Hazard identification

Classification of the Hazardous chemical

O The product is not classified as hazardous according to Australia WHS regulation.

Adverse physicochemical, human health and environmental effects:

No other hazards

GHS label elements, including precautionary statements

The product is not classified as hazardous according to Australia WHS regulation.

Other hazards which do not result in a classification

Other Hazards: No other hazards

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

3. Composition/information on ingredients

Substances

no data available

Mixtures

Ouantity

Hazardous components within the meaning of the "Australian Work Health and Safety (WHS)" regulation and related classification:

Quantity	Name	ident. Numb. Classification	1
25-50 %	free crystalline silica (Ø >10 μ)	CAS:14808-60-7 EC:238-878-4	
5-10 %	Calcium sulfate	CAS:7778-18-9 EC:231-900-3	
0.25-0.49 %	titanium dioxide	CAS:13463-67-7 EC:236-675-5	
0.1-0.25 %	kaolin	CAS:1332-58-7	

Date 3/8/2019 Production Name ULTRACOLOR PLUS Page n. 1 of 8

CAS:112926-00-

4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Symptoms caused by exposure

no data available

Medical attention and special treatment

no data available

5. Fire-fighting measures

Suitable extinguishing media

None in particular.

Water.

Carbon dioxide (CO2).

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: no data available

Explosive properties: ==

Oxidizing properties: no data available

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

7. Handling and storage

Precautions for safe handling

Date 3/8/2019 Production Name ULTRACOLOR PLUS Page n. 2 of 8

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

8. Exposure controls/personal protection

Control parameters - exposure standards, biological monitoring

List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
free crystalline silica (Ø >10 μ)	ACGIH	NNN		0,025					(R), A2 - Pulm fibrosis, lung cancer
Calcium sulfate	ACGIH	NNN		10					(I) - Nasal symptoms
titanium dioxide	ACGIH	NNN		10					A4 - LRT irr
kaolin	ACGIH	NNN		2					(E,R), A4 - Pneumoconiosis

Predicted No Effect Concentration (PNEC) values

Component	CAS-No.	PNEC LIMIT	Exposure Route	Exposure Frequency	Remark
titanium dioxide	13463-67-7	' 0,184 mg/l	Fresh Water		
		100 mg/kg	Soil		
		100 mg/l	Microorganisms in sewage treatments		
		0,0184 mg/l	Marine water		
		100 mg/kg	Marine water sediments		
		1000 mg/kg	Freshwater sediments		
		0,193 mg/l	Intermittent release		

Derived No Effect Level. (DNEL)

Component	CAS-No.	Worker Worke Industr Profes y ional		Exposure Route	Exposure Frequency Remark
Calcium sulfate	7778-18-9	21,17 DXE2H_ 001	5,29 DXE2H_ 005	Human _ Inhalation	Long Term, systemic effects
		5082 DXE2H_ 001	3811 DXE2H_ 005	Human _ Inhalation	Short Term, systemic effects
			1,52 mg/kg	Human Ora	ll Long Term, systemic effects
titanium dioxide	13463-67-7	7 10 10 DXE2H_ DXE2H 001 003	_	Human Inhalation	Long Term, local effects

Date 3/8/2019 Production Name ULTRACOLOR PLUS Page n. 3 of 8

Appropriate engineering controls

no data available

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

no data available

9. Physical and chemical properties

Color: DXE2H_STR2LOV_093

Appearance: Powder

Odour: slight, typical of cement Odour threshold: no data available

pH: no data available

Melting point / freezing point: no data available

Initial boiling point and boiling range: no data available

Flash point: no data available Evaporation rate: no data available

Flammability (Solid, Gas): no data available

Upper/lower flammability or explosive limits: no data available

Vapour pressure: no data available Vapour density: no data available Relative density: no data available Solubility in water: partly soluble

Solubility in oil: Insoluble

Partition coefficient (n-octanol/water): no data available

Auto-ignition temperature: no data available Decomposition temperature: no data available

Viscosity: no data available

Specific heat value: no data available

Saturated vapour concentration: no data available

Release of invisible flammable vapours and gases: no data available

Particle size: no data available Size distribution: no data available Shape and aspect ratio: no data available

Crystallinity: no data available Dustiness: no data available Surface area: no data available

Degree of aggregation or agglomeration, and dispersibility: no data available

Biodurability or biopersistence: no data available Surface coating or chemistry: no data available VOC (Volatile Organic Compound): 0 (Rule 1168) g/l

10. Stability and reactivity

Reactivity

Stable under normal conditions

Chemical stability

no data available

Possibility of hazardous reactions

None.

Date 3/8/2019 Production Name ULTRACOLOR PLUS Page n. 4 of 8

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

SECTION 11: Toxicological information

Information on toxicological effects

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

Toxicological information on main components of the mixture:						
free crystalline silica (Ø >10 μ)	a) acute toxicity	LD50 Oral > 2000 mg/kg				
		LD50 Skin > 2000 mg/kg				
Calcium sulfate	a) acute toxicity	LD50 Oral Rat > 1581 mg/kg				
		LC50 Inhalation Rat > 2,61 mg/l				
titanium dioxide	I) chronic toxicity	NOAEL Oral Rat = 1000 mg/kg				
	a) acute toxicity	LD50 Oral Rat > 5000 mg/kg				
		LD50 Skin Rat > 2000 mg/m3				
		LC50 Inhalation Rat = 4,26 mg/l 4h				
		LD50 Skin Rabbit > 10000 mg/kg				
Amorphous precipitated silica	a) acute toxicity	LD50 Oral Rat > 5000 mg/kg				
		LD50 Oral > 15000 mg/kg				

LD50 Skin Rabbit > 5000 mg/kg

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- i) STOT-repeated exposure
- j) aspiration hazard

12. Ecological information

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

List of components with eco-toxicological properties

Quantity	Component	Ident. Numb.	Ecotox Infos
5-10 %	Calcium sulfate	CAS: 7778-18-9 - EINECS: 231-	a) Aquatic acute toxicity: LC50 Fish > 79 mg/L 96

Date 3/8/2019 Production Name ULTRACOLOR PLUS Page n. 5 of 8

a) Aquatic acute toxicity : EC50 Daphnia > 79 mg/L 48

a) Aquatic acute toxicity: EC50 Algae > 79 mg/L 72

0.25-0.49 % titanium dioxide CAS: 13463-67- a) Aquatic acute toxicity: LC50 Fish > 1000 mg/L 96

7 - EINECS: 236-675-5

00-8

a) Aquatic acute toxicity: EC50 Algae > 100 mg/L 72
 a) Aquatic acute toxicity: NOEC Algae = 5600 mg/L 72

a) Aquatic acute toxicity: EC50 Daphnia > 100 mg/L 48

a) Aquatic acute toxicity: EC50 Daphnia > 100 mg/L 48
< 0,1 % Amorphous precipitated silica</p>
CAS: 112926- a) Aquatic acute toxicity: LC50 Fish = 10000 mg/L 96

a) Aquatic acute toxicity: EC50 Daphnia > 1000 mg/L 24

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

13. Disposal considerations

Disposal methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

14. Transport information

Not classified as dangerous in the meaning of transport regulations.

UN number

no data available

UN proper shipping name

no data available

Transport hazard class(es)

no data available

Packing group, if applicable

no data available

Environmental hazards

no data available

Special precautions for user

no data available

Additional Information

no data available

HazChem Code/Emergency Action code

no data available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals.

AICS: all components are listed

Date 3/8/2019 Production Name ULTRACOLOR PLUS Page n. 6 of 8

16. Other information

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

 $\hbox{GHS: Globally Harmonized System of Classification and Labeling of Chemicals.}$

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable

N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

Date 3/8/2019 Production Name ULTRACOLOR PLUS Page n. 7 of 8

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION

Date 3/8/2019 Production Name ULTRACOLOR PLUS Page n. 8 of 8